

SIERRA

TRUCK TIRES

2017



TABLE OF CONTENTS

STEER/ALL-POSITION/TRAILER

SR256	1
SR803	1
SR562	2

DRIVE

SR369	2
SR366	3
SR349	3
SR378	4
SR377	4

MIXED SERVICE

SR568	5
SR518	5
SR301	6

WIDE BASE

SR216	6
SR306	7

TRACTION

SR387	7
SR317	8

SR256 STEER



FEATURES & BENEFITS

- DECOUPLING GROOVE TO MINIMIZE IRRGULAR WEAR
- FIVE RIB DESIGN PROMOTES EVEN WEAR AND LONG TIRE LIFE
- ENHANCED SIPING FOR WATER DISPERSION
- STONE EJECTORS TO MINIMIZE STONE RETENTION

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97201	11R22.5	H/16	TL	146/143M	8.25	19	15	41.50	1054	10.98	279	6610/6005	120/120	120.15	54.50
97207	11R24.5	H/16	TL	149/146M	8.25	19	15	43.46	1104	10.98	279	7160/6610	120/120	131.39	59.60

SR803 STEER / ALL-POSITION



FEATURES & BENEFITS

- EXCELLENT STABILITY AND REISISTANCE TO IRREGULAR WEAR
- STONE EJECTORS PROVIDE GOOD SELF-CLEANING
- FOUR GROOVE DESIGN FOR ENHANCED WATER DISPERSION
- RIB SIPING FOR INCREASED TRACTION
- DEEP ORIGINAL TREAD DEPTH PROMOTES LONG TIRE LIFE

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97301	11R22.5	H/16	TL	146/143M	8.25	20	15.5	41.50	1054	10.98	279	6610/6005	120/120	125.22	56.80
97305	12R22.5	J/18	TL	152/149M	9.00	19	15	42.72	1085	11.81	300	7830/7160	135/135	137.13	62.20
97308	255/70R22.5	H/16	TL	140/137M	7.50	16	13	32.68	830	10.04	255	5520/5070	120/120	97.00	44.00
97319	275/70R22.5	H/16	TL	148/145M	8.25	18	14	37.72	958	10.87	276	6940/6385	130/130	111.33	50.50
97312	295/75R22.5	H/16	TL	146/143M	9.00	19	15	39.92	1014	11.73	298	6610/6005	120/120	110.47	50.11
97304	285/75R24.5	H/16	TL	147/144M	8.25	19	15	41.34	1050	11.14	283	6780/6175	120/120	120.81	54.80
97313	295/80R22.5	J/18	TL	152/149M	9.00	19	15	41.10	1044	11.73	298	7830/7160	125/125	130.95	59.40
97310	315/80R22.5	J/18	TL	154/151M	9.00	19	15	42.36	1076	12.28	312	8270/7610	120/120	141.09	64.00
97303	11R24.5	H/16	TL	149/146L	8.25	19	15	43.46	1104	10.98	279	7160/6610	120/120	132.76	60.22

SR562 ALL-POSITION/TRAILER



FEATURES & BENEFITS

- RIB TIRE WITH FOUR CIRCUMFERENTIAL GROOVES
- SHOULDER NOTCHING AND SIPES EFFECTIVELY DISPERSE SHOULDER HEAT TO IMPROVE ENDURANCE
- CONVEX PLATFORM ON THE BOTTOM OF THE GROOVE PREVENTS GROOVE STRAIN AND CRACKING

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97005	6.50R16LT	F/12	TT	110/105L	5.50F	13	10.5	29.53	750	7.28	185	2340/2040	95/95	46.96	21.30
97006	7.00R16LT	G/14	TT	118/114L	5.50F	14	11	30.51	775	7.87	200	2910/2600	110/110	51.37	23.30
97007	7.50R16LT	G/14	TT	122/118L	6.00G	16	12.5	31.69	805	8.46	215	3305/2910	110/110	65.70	29.80
97008	215/75R17.5	H/16	TL	135/133M	6.00	16	13	30.20	767	8.31	211	4805/4540	123/123	58.86	26.70
97001	235/75R17.5	H/16	TL	143/141M	6.75	16	13	31.38	797	9.17	233	6005/5675	120/120	70.55	32.00
97002	225/70R19.5	G/14	TL	128/126L	6.75	18	14	31.93	811	8.90	226	3970/3750	110/110	70.33	31.90
97003	245/70R19.5	G/14	TL	133/131L	7.50	18	14	33.03	839	9.76	248	4540/4300	110/110	74.96	34.00

SR369 CLOSED-SHOULDER DRIVE



FEATURES & BENEFITS

- DEEP, LONG LASTING TREAD
- SPECIAL GROOVE DESIGN PREVENTS STONE RETENTION TO PROTECT THE CASING
- SOLID CLOSED-SHOULDER RIB PROMOTES EVEN WEAR
- WIDE TREAD DESIGN WITH SIPING IN TREAD BLOCKS FOR INCREASED TRACTION

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97101	11R22.5	H/16	TL	146/143L	8.25	29	23	41.93	1065	10.98	279	6610/6005	120/120	129.41	58.70
97102	295/75R22.5	H/16	TL	146/143L	9.00	29	23	40.16	1020	11.73	298	6610/6005	120/120	126.32	57.30
97103	11R24.5	H/16	TL	149/146L	8.25	29	23	43.94	1116	10.98	279	7160/6610	120/120	141.54	64.20
97104	285/75R24.5	H/16	TL	147/144L	8.25	29	23	41.57	1056	11.14	283	6780/6175	120/120	131.84	59.80

SR366 OPEN-SHOULDER DRIVE

FEATURES & BENEFITS

- DEEP TREAD DEPTH FOR EXCELLENT TRACTION
- OPEN-SHOULDER DESIGN PROVIDES HEAT DISSIPATION TO ASSIST WITH TIRE DURABILITY
- SPECIAL TREAD COMPOUNDS TO RESIST CUTTING AND CHIPPING
- SIPING IN TREAD BLOCKS FOR ENHANCED TRACTION



PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97602	11R22.5	H/16	TL	146/143M	8.25	29	23	41.93	1065	10.98	279	6610/6005	120/120	131.61	59.70
97604	11R24.5	H/16	TL	149/146M	8.25	29	23	43.94	1116	10.98	279	7160/6610	120/120	144.62	65.60

SR349 DRIVE

FEATURES & BENEFITS

- WIDE, OPEN-SHOULDER DESIGN FOR IMPROVED WEAR RESISTANCE
- ANGLED SIPING IMPROVES GRIP AND OVERALL TRACTION
- TAPERED LATERAL GROOVES FOR ALL-WEATHER PERFORMANCE
- DEEP TREAD FOR LONG ORIGINAL MILEAGE



PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97631	12R22.5	J/18	TL	152/149L	9.00	26	21	42.72	1085	11.81	300	7830/7160	135/135	147.49	66.90
97632	13R22.5	J/18	TL	154/151L	9.75	26	21	44.25	1124	12.60	320	8270/7610	120/120	166.67	75.60
97635	295/80R22.5	J/18	TL	152/149M	9.00	24	19	41.10	1044	11.73	298	7830/7160	130/130	133.60	60.60
97633	315/80R22.5	J/18	TL	154/151K	9.00	26	21	42.36	1076	12.28	312	8270/7610	120/120	152.34	69.10
97634	315/80R22.5	L/20	TL	157/154K	9.00	26	21	42.36	1076	12.28	312	9090/8270	130/130	152.34	69.10

SR378 DRIVE



FEATURES & BENEFITS

- OPEN-SHOULDER HORIZONTAL BLOCK DESIGN
- SPECIAL COMPOUNDED BEAD AREA ENHANCES DURABILITY AND LOADING CAPACITY
- STONE EJECTORS IN THE BASE OF THE TREAD GROOVE

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97611	7.50R16LT	G/14	TT	122/118L	6.00G	19	15.0	31.69	805	8.46	215	3310/2913	110/110	70.11	31.80

SR377 DRIVE



FEATURES & BENEFITS

- HORIZONTAL BLOCK PATTERN FOR EXCELLENT TRACTION AND BRAKING ON ROUGH ROADS
- SPECIAL TREAD COMPOUNDS TO RESIST CHIPPING AND CHUNKING
- SELF-CLEANING ATTRIBUTES TO OPTIMIZE TRACTION

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97901	7.50R16LT	G/14	TT	122/118F	6.00G	21	16.5	32.09	815	8.46	215	3310/2913	110/110	71.43	32.40

SR568 MIXED SERVICE ALL-POSITION



FEATURES & BENEFITS

- FOUR-RIB TIRE DESIGN SUITABLE FOR MIXED SERVICE APPLICATIONS
- SPECIAL TREAD COMPOUNDS TO RESIST CHIPPING AND CHUNKING
- THREE CIRCUMFERENTIAL GROOVES AID IN EVEN WEAR AND A SMOOTH RIDE
- WIDE FOOTPRINT AND UNIQUE SHOULDER DESIGN ENHANCE STABILITY

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97938	7.00R16LT	G/14	TT	118/114L	5.50	14	11	30.51	775	7.90	200	2910/2600	110/110	50.89	23.13
97503	7.50R16LT	G/14	TT	122/118L	6.00	16	12.5	31.69	805	8.46	215	3305/2910	110/110	65.70	29.80
97513	11R22.5	H/16	TL	146/143L	8.25	20	16	41.50	1054	10.98	279	6610/6005	120/120	123.46	56.00
97509	12R22.5	J/18	TL	152/149K	9.00	20	16	42.72	1085	11.81	300	7830/7160	135/135	139.55	63.30
97511	315/80R22.5	L/20	TL	157/154K	9.00	20	16	42.36	1076	12.28	312	9090/8270	130/130	141.54	64.20

SR518 MIXED SERVICE ALL-POSITION



FEATURES & BENEFITS

- FOUR-RIB ZIGZAG TIRE DESIGN SUITABLE FOR MIXED SERVICE APPLICATIONS
- SHOULDER DESIGN FOR INCREASED TRACTION
- SPECIAL TREAD COMPOUNDS TO RESIST CHIPPING AND CHUNKING

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97400	8.25R16LT	H/16	TT	128/124L	6.50H	16	13	33.66	855	9.25	235	3970/3525	110/110	76.50	34.70
97405	11R22.5	H/16	TL	146/143L	8.25	20	16	41.50	1054	10.98	279	6610/6005	120/120	123.50	56.02
97404	12R22.5	J/18	TL	152/149K	9.00	21	17	42.72	1085	11.81	300	7830/7160	135/135	139.55	63.30
97408	315/80R22.5	L/20	TL	157/154K	9.00	21	16.5	42.36	1076	12.28	312	9090/8270	130/130	141.54	64.20
97409	11R24.5	H/16	TL	149/146L	8.25	20	16	43.46	1104	10.98	279	7160/6610	120/120	133.93	60.75

SR301 MIXED SERVICE DRIVE



FEATURES & BENEFITS

- DEEP TREAD ELEMENTS FOR IMPROVED TRACTION
- HORIZONTAL INTERLOCKING LUGS FOR IMPROVED STABILITY
- CONTINUOUS CENTER RIB FOR HIGHWAY STABILITY

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97931	11R22.5	H/16	TL	148/145L	8.25	26	21	41.50	1054	11.00	279	6940/6385	123/123	125.97	57
97934	12R22.5	J/18	TL	152/149L	9.00	26	21	42.68	1084	11.80	300	7830/7160	135/135	139.23	63
97935	295/80R22.5	J/18	TL	152/149L	9.00	26	21	41.34	1050	11.70	298	7830/7160	130/130	144.31	65.3

SR216 WIDE BASE



FEATURES & BENEFITS

- SPECIAL TREAD FORMULA DELIVERES LOWER ROLLING RESISTANCE AND BETTER FUEL ECONOMY
- VARIABLE PITCH DESIGN EFFECTIVELY REDUCES DRIVING NOISE
- FIVE CIRCUMFERENTIAL GROOVES FOR CONTROL PERFORMANCE

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97703	385/65R22.5	L/20	TL	160/L	11.75	20	16	42.20	1072	15.31	389	9930/N/A	130/N/A	164.46	74.60
97705	425/65R22.5	L/20	TL	164/K	12.25	20	16	44.25	1124	16.61	422	11000/N/A	120/N/A	193.12	87.60

SR306 WIDE BASE

FEATURES & BENEFITS

- LARGE TREAD ELEMENTS FOR IMPROVED HANDLING AND TRACTION
- DEEP TREAD FOR LONG TIRE LIFE
- ENHANCED SIPING FOR IMPROVED TRACTION



PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97937	425/65R22.5	L/20	TL	165K	12.25	28	22	44.3	1124.0	16.60	422.0	11400/N/A	120/N/A	209.95	95.00

SR387 ON/OFF-ROAD TRACTION

FEATURES & BENEFITS

- TRACTION DESIGN FOR STRONGER DRIVING FORCE
- DEEP LUGS AND HORIZONTAL PATTERN DESIGN FOR IMPROVED HANDLING
- 26/32" ORIGINAL TREAD DEPTH ALLOWS FOR EXCELLENT MILEAGE



PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97936	12.00R20	L/20	TT	156/153K	8.50	26	21	44.72	1136	12.40	315	8820/8050	130/130	181.22	82

SR317 ON/OFF-ROAD TRACTION



FEATURES & BENEFITS

- OPEN-SHOULDER DESIGN FOR EXCELLENT TRACTION
- DEEP ORIGINAL TREAD DEPTH FOR LONG TIRE LIFE
- AGGRESSIVE TREAD DESIGN FOR SEVERE OFF-HIGHWAY USE

PRODUCT CODE	SIZE	LR/PR	TYPE	SERVICE DESCRIPTION	RIM (inch)	TREAD DEPTH		OVERALL DIAMETER		SECTION WIDTH		MAX LOAD (LBS) SINGLE/DUAL	PSI SINGLE/DUAL	WEIGHT	
						32nds	mm	inch	mm	inch	mm			lbs	kg
97932	11R22.5	H/16	TL	148/145G	8.25	26	21	41.93	1065	11.00	279	6940/6385	123/123	130.39	59
97933	12R22.5	J/18	TL	152/149G	9.00	29	23	43.15	1096	11.80	300	7830/7160	135/135	145.86	66

SIERRA

TRUCK TIRES

Distributed By: